




Professional Brass Fitting Manufacturer




- **Founded in 2004**
- **Focus on brass fittings & OEM brass parts**
- **More than 260 employees**
- **35 x 20' containers (600 tons) output monthly**
- **2023 turnover 47.5 million USD**

Annual Turnover



Market Profile

- Spain 24.73%
- FRANCE 18.06%
- Poland 15.59%
- UK 13.76%
- South Africa 13.08%
- Czech 4.11%
- South Europe 3.29%
- Germany 2.11%
- Russia 1.36%



What Honson Could Do

- Rich Product Line
- Sufficient Capacity and Advanced Equipment
- Efficient Digital Production Management
- Stable Quality
- Timely Delivery

Rich Product Line

- More than 20 categories
- Cover sizes from 1/4" to 4"
- Over 10,000 models
- Varieties Certificates
- OEM service

Product Category

- **Brass Threaded Fitting (HS190 (Raw surface) / HS200 (Chrome-plated))**



Product Category

- Turning Parts



Features

Flat surface



Male thread machined to end

Product Category

- Fitting copper tube (HS00 / HS110)

Connecting Pipe	Category	Picture	Approval
 copper tube	HS100 Compressing Fittings		WRAS SABS DVGW
	HS110 End-feed Fitting		WRAS

Product Category

- Fitting for PE pipe (HS130 / HS140 /HS150 / HS160)

Connecting Pipe	Category	Picture	Approval
 PE pipe	HS130 (Heavy Type) / HS140 (Light Type) Compression Fitting		DVGW
	HS150 Compression Fitting		ACS
	HS160 Compression Fitting (big size)		

Product Category

- Fitting for Multi-layer pipe (HS210 / HS220)

Connecting Pipe	Category	Picture	Comments
 Multi-layer Pipe	HS210 Compression fitting		
	HS220 Press Fitting		U-type TH-type Universal-type

Product Category

- Fitting for Pex pipe (HS230 / HS300 / HS301 / HS310)

Connecting Pipe	Category	Picture			
 <p data-bbox="170 872 336 914">PEX pipe</p>	<p data-bbox="455 373 807 465">HS230 Compression Fitting</p>				
	<p data-bbox="455 595 691 686">HS300 Sliding Fitting</p>				
	<p data-bbox="455 820 691 912">HS301 Sliding Fitting</p>				
	<p data-bbox="455 1012 678 1104">HS310 Press Fitting</p>				

Product Category

- Garden Accessories (HS320)



Product Category

- OEM brass parts



Product Category

Australian Flare Fittings and Compression Fittings (both CW602N and CW511L)

Connecting Pipe	Category	Picture	Approval
 copper tube	Flare Fittings		WATERMARK
	Compression Fitting (plastic olive & copper olive)		WATERMARK

Product Category

Australian Threaded Fittings (both CW602N and CW511L)

WATERMARK APPROVAL



Product Category



Australian End-feed Fittings (both CW602N and CW511L)

WATERMARK Approval



Strong Production Capacity

- Over 12,000m² workhouse
- More than 400 sets advanced equipment
- Skilled workers
- Flexible and digital production management

Hot Forging

HONSON[®]



联
系
方
式

小火火势 21.0 % 大火火势 60.0 %

自
动

侧推时间 0.90 S 控温上限温度 670 °C

侧退时间 0.50 S 控温下限温度 660 °C

手
动

直推时间 0.90 S 打料上限温度 700 °C

关火1时间 10.0 S 打料下限温度 590 °C

点
动

关火2时间 10.0 S 高温报警数量 15 个

上停顿时间 2.00 S 低温报警数量 15 个

下停顿时间 2.00 S 测温停顿时间 0.50 S

参
数

开机直推次数 3 个 喷水时间 0.35 S

高温废料缸进时间 1.00 S 喷水间隔 1 个

Automatic Cutting Machine

HONSON

Q'ty: 4 sets

➤ daily output 5
tons



CNC Machining Center

HONSON



Q'ty: 16 sets

Feature:

- Auto-feed by trusses
- multi-station procession (12 the most)
- One-time clamping of finished products
- High efficiency & accuracy

Transfer Machine

HONSON



Q'ty: 13 sets

Feature:

- Auto-feed;
- multi-station machining
- suitable for couplers, tees, elbows with big quantity
- High efficiency & accuracy

Turning Parts Automatic CNC

HONSON



Q'ty: 66 sets

Feature:

- 1.1m brass bar (tube) auto-feed
- Ideal for machining turning parts
- High efficiency & quality



CNC with Rotary Chuck

HONSON[®]



Q'ty: 40 sets

Feature:

- Auto-feed by trusses
- Equipped with rotary chuck, ideal to machine tees and elbows at one time.

CNC with Double Turning Axis



Q'ty: 17 sets

Feature:

- Auto-feed
- Equipped with turning axis at each end, suitable to machine turning parts

High-speed CNC

HONSON[®]



Q'ty: 78 sets

Feature:

- High Accuracy
- High efficiency
- Strong compatibility

Semi-Automatic CNC

HONSON



Q'ty: 56 sets

Feature:

- High efficiency
- Strong flexibility ,
suitable to machine
variety of brass fittings

Assembly Line



Q'ty: 12 lines

Feature:

- High efficiency, daily output 1~1.5 20' container (around 250,000 pcs to 400,000 pcs)
- 5S management

Laser Mark



Q'ty: 14 sets

Feature:

- Laser mark date, logo, size, batch number for traceability.
- 5S management



Warehouse

HONSON®



➤ More than 8,000m² warehouse

➤ 400 pallets capacity

Efficient digital production management system



QR code is widely used in the whole production process, including equipment check, information query and material circulation

Quality Control

- More than 20 kinds testing instruments
- Strict QC process from raw material to finished products
- “Continuous improvement, all staff participation”
quality control system

Test Center



Over 200m²

- Chemical composition inspection
- Dimension check
- Function test
- Metallographic analysis

Test Instrument



Test Instrument

